



COMPLETE ALL FIELDS TO AVOID PROCESSING DELAYS. PRESCRIPTION QUESTIONS? CALL 1-800-VIVITROL (1-800-848-4876), 9AM-8PM (EST). ONLY VALID IF FAXED. FAX COMPLETED FORM TO: 1-877-329-8484

TP ID# (Touchpoints Use Only):

TP ID# (Touchpoints Use Only):		Admittance Date:	Discharge Date:		
1. PRESCRIBER OR FACILITY INFORM.	ATION	4. INJECTION PROVIDER/S	SPECIALTY PHARMACY INFORMATION		
Prescriber Name*		Will your patient receive ongoi	= -		
State License #	DEA#	Yes, patient will receive all Complete step B of this sect	tion.		
Prescriber Phone # NPI #		Complete steps A and B of t	a new provider after the first dose. his section.		
Facility Name	Fax #	 A. Injecting provider A new provider is unknow 	rn; need assistance from Touchpoints		
Address		to locate one	ct provider below to coordinate ongoing care		
City State	Zip Code	for this patient	to provide below to coordinate origonia care		
Staff Contact Name		Provider Name	Phone #		
Staff Contact Phone #		Provider Address			
Staff Contact E-mail		B. Shipping details Patient needs VIVITROL d	delivered by (date) / //		
2. PATIENT INFORMATION		Preferred pharmacy (if ap	-		
Name (First) (La	st)	Special shipping instructi	<u>- </u>		
Date of Birth Ger	nder				
Address		5. PATIENT INSURANCE IN	FORMATION		
City State	Zip Code	A. Payment Method ☐ Insured	d □ Paying out-of-pocket		
Home Phone # Mobile	Phone #		DES OF THE PATIENT'S INSURANCE CARD(S). I AN INSURANCE CARD, COMPLETE		
Best Day to Call M T W T	TH □F	SECTION BELOW.	AN INSURANCE CARB, COMPLETE		
Best Time to Call Morning Afterno	on Evening	PRIMARY INSURANCE / MEDICA	L INSURANCE		
E-mail Address			PO Medicaid Medicare QHP		
→ INSTRUCT PATIENT TO LIST ALTERNATE CONTA	CTS ON PAGE 2	Carrier Name	DA # (if also: and)		
		Policyholder Name	PA # (if obtained)		
3. PATIENT DIAGNOSIS—Please complet you would like to use by filling in the a		Relationship to Patient	Carrier Phone #		
(A list of codes can be found on page 3, section	on 12)	Policyholder Employer Name			
	Patient has tried and failed the following medication(s):	Policy #	Group ID #		
ICD-10 ICD-10 F10 F11		PHARMACY BENEFIT PLAN (PBM)			
F10 F11		PBM Name			
F10 F11	Please list any known allergies to medications or other substances:	Policyholder Name			
F10 F11		Relationship to Patient PBM Phone #			
F10 F11		Policyholder Employer Name			
Other Other	Patient's concurrent medications:	Policy #	Rx Grp		
medications		Rx BIN #	Rx PCN		
		Co-pay Card Number (if already	obtained)		
6. PRESCRIPTION INFORMATION AND	ATTESTATION *PRESCRI	BER SIGNATURE MUST BE THE	SAME AS THE PRESCRIBER NAME ABOVE		
Patient Name					
VIVITROL 380 mg x 1 unit Inject 380 mg IM e	every 4 weeks or every 1 month	Pro	ovider State License #		
Refill times (Complete refills to minimize interruption in monthly VIVITROL therapy) By signing below, I verify that the information provided in this Touchpoints enrollment form is complete and accurate to the best of my knowledge. I understand that Alkermes, Inc., reserves the right at any time and for any reason, without notice, to modify this Touchpoints enrollment form or to modify or discontinue any services or assistance provided through Touchpoints. Finally, I authorize Alkermes, its affiliates, representatives and agents as my designated agents to use and disclose my patient's health information as necessary to verify the accuracy of any information provided, to provide reimbursement services through Touchpoints, to forward the above prescription, by fax or other mode of delivery, to a pharmacy for fulfillment, and (as applicable) to assess my patient's eligibility for co-pay assistance. Prescriber's Signature (If applicable) Prescriber's Signature Date of Signature					

Substitution Permitted

(no stamps allowed)

Signature _





PATIENTS SHOULD COMPLETE ALL FIELDS ON THIS PAGE.

QUESTIONS? CALL 1-800-VIVITROL (1-800-848-4876), 9AM-8PM (EST).

7. ALTERNATE PATIENT CONTACT(S)

By signing below, I authorize my Contact(s), listed below, to receive logistical and administrative information related to my treatment, such as appointment reminders, and to make decisions on my behalf-for which I will remain liable-regarding delivery of VIVITROL® (naltrexone for extended-release injectable suspension). Alkermes is not liable for any decision(s) made by the Contact(s) or actions taken in reliance on such

Contact(s) decisions. Please list any Contacts authorized as set forth ab	ove:	
Contact Name (1)	Relationship	Phone #
Contact Name (2)	Relationship	Phone #
Patient's Signature X	Date of Signature	Phone #
8. PATIENT AUTHORIZATION FOR USE/DISCLOSE	URE OF HEALTH INFORMATION	
By signing below, Iaut VIVITROL to me, 3. the pharmacy(ies) to which my insurers (collectively, my "Healthcare Entities") to us the VIVITROL patient support services I request, wh (collectively, "Alkermes") and 2. my Contact(s) listed condition, including information about my drug or a coverage, as well as the information requested in the facilitate: 1. ordering, delivering and administering to plan(s) and insurer(s), 3. providing me with education may include sending me product information mater programs, foundations or alternative sources of fund fulfillment of VIVITROL prescriptions. Information Mauthorization could be re-disclosed by a Recipient as	se and disclose to: 1. Alkermes, Inc. and the comnich are United BioSource Corporation, OPUS He discount above (together with Alkermes, the "Recipient alcohol addiction, my mental health condition(s), is form (taken together, "Information") for the service of the services by mail, textrained and therapy support services by mail, textrails and treatment reminders, 4. referring me to ding or coverage to help me with the costs of Victorial and the Disclosed: I understand that Information.	e "Pharmacy"), and 4. my health plans and panies working with Alkermes, Inc. to provide ealth, LASH Group, Human Care Systems ts") health information related to my medical, my treatment with VIVITROL, my insurance pecific purposes of allowing Alkermes to tion and obtaining payment from my health messaging, e-mail, and/or telephone, which, or determining my eligibility for, other IVITROL and 5. reviewing and analyzing promation disclosed pursuant to this
I understand that signing this authorization is volunt insurance or insurance benefits from my Healthcare receive the educational, patient support or other se with my healthcare provider before making any trea sign. I understand that the Pharmacy may receive po	Entities. I understand, however, that if I do not sometimes described above, which are being provident the testions. I understand I have the right to	sign this authorization, I will not be eligible to ed by, or on behalf of, Alkermes. I will consult o receive a copy of this authorization after I
I may withdraw this authorization at any time by ma Center Parkway, Memphis, TN 38134. Withdrawal of by my Healthcare Entities when they receive notice authorization or as permitted by applicable law. This or (2) the maximum period permitted by applicable	this authorization will end my consent to furthe of my withdrawal, but will not affect previous di s authorization expires on the earlier of (1) five y	er disclosures of Information authorized herein isclosures and uses pursuant to this years from the date of signature below
Patient's Signature X		Date of Signature
Parent/Guardian/Legal Representative's Signature Authority/Relationship to Patient	e [;] X	
¹ If patient is a minor without capacity to act alone ur	nder state law, signature of patient and parent/g	guardian/legal representative is required.
9. CO-PAY INFORMATION FOR ELIGIBLE PATIEN	TS°	
☐ (Check if "yes") I would like to receive co-payme	ent assistance from Alkermes.	
\square I certify that I am at least 18 years old, and I am be	ing treated for opioid dependence after detox of	or alcohol dependence.
Please confirm that you understand the eligibility re Co-payment assistance for VIVITROL is not valid for program. Such programs include, but are not limited	prescriptions that are purchased (in full or in pa	_

- Medicare, including Medicare Part D and Medicare Advantage plans
- Medicaid, including Medicaid Managed Care and Alternative Benefit Plans ("ABPs") under the Affordable Care Act
- Medigap
- Veterans Administration ("VA")

- Department of Defense ("DoD")
- TRICARE®
- State-funded programs such as medical or pharmaceutical assistance programs

I agree that I understand the eligibility requirements described above. I certify that I am not using, and I will not use, any federal or state funded program to help pay for my VIVITROL prescription. I understand that if I do use any benefits from state, federal or other government funded program to help pay for my VIVITROL prescription, I will no longer be eligible for co-pay support for VIVITROL. I agree to comply with any requirements of my insurer(s) regarding co-pay support, including disclosure of the amount of co-pay support I receive to my insurer(s).

Ry signing below Lagree that Lunderstand, and will comply with the terms of this VIVITPOL® Co-pay Savings Program

By signin	g below i ag	gree that I understand	i, and will comply with, the terms of this vivil ROL Co-pay S	avings Program.	
\square YES	\square NO	Patient's Signature	X	Date of Signature	

[§]Eligibility for Sponsored Co-pay Assistance: Please see page 3, section 11.





10. INJECTION PROVIDER/SPECIALTY PHARMACY SELECTION INFORMATION (AS APPLICABLE)

If you have requested injection services for your patient, Touchpoints will identify several injectors based on geographic proximity to your patient's address listed on the enrollment form (from closest to farthest from such address).

These injection providers are listed on the VIVITROL Provider Locator" at VIVITROL.com.

These options will be provided to you for your patient. We will also contact the selected injection services provider to help coordinate injection services.

Upon request, prescriptions of patients enrolled in Touchpoints are routed to qualified pharmacies based on insurance plan requirements, provider selection, patient preference and information obtained by Alkermes on pharmacy capability and performance in dispensing VIVITROL prescriptions. Participation is open to all qualified pharmacies free of charge. Interested pharmacies may contact 1-800-VIVITROL (1-800-848-4876).

11. ELIGIBILITY FOR SPONSORED CO-PAY ASSISTANCE

Offer valid only for prescriptions for FDA-approved indications. Patients must be at least 18 years old. If patients are purchasing their VIVITROL prescriptions with benefits from Medicare, including Medicare Part D or Medicare Advantage plans; Medicaid, including Medicaid Managed Care or Alternative Benefit Plans ("ABPs") under the Affordable Care Act; Medigap; Veterans Administration ("VA"); Department of Defense ("DoD"); TRICARE®; or any similar state funded programs such as medical or pharmaceutical assistance programs, they are not eligible for this offer. Void where prohibited by law, taxed or restricted. Alkermes, Inc. reserves the right to rescind, revoke or amend these offers without notice.

12. PATIENT DIAGNOSIS CODES

Alconol Dependence:	Opioia Dependenc

- F10.21 - F10.22 - F10.220 - F10.221 - F10.229 F10.23 - F10.230 - F10.231	Unspecified Alcohol dependence with withdrawal Uncomplicated	F10.27 F10.28 - F10.280 - F10.281	With alcohol- induced persisting dementia Alcohol dependence with other alcohol-induced disorders Alcohol dependence with alcohol- induced anxiety disorder Alcohol dependence with alcohol- induced sexual	- F11.221 - F11.222	Opioid dependence Uncomplicated In remission Opioid dependence with intoxication Uncomplicated Delirium With perceptual disturbance Unspecified With withdrawal With opioid-induced mood disorder		Opioid dependence with other opioid-induced disorder Opioid dependence with other opioid-induced sexual dysfunction Opioid dependence with other opioid-induced sleep disorder Opioid dependence with other opioid dependence with other
- F10.251	With alcohol-induced mood disorder Alcohol dependence with alcohol-induced psychotic disorder With delusions With hallucinations Unspecified With alcohol-induced persisting amnestic disorder	- F10.282 - F10.288 F10.29	Alcohol dependence with alcohol- induced sleep disorder Alcohol dependence with other alcohol- induced disorder With unspecified alcohol-induced disorder	- F11.251	with opioid-induced psychotic disorder With delusions With hallucinations Unspecified	F11.29	disorder With unspecified opioid-induced disorder

Inclusion in the Locator is voluntary and free of charge to qualified healthcare providers and, along with the provider-specific information in the Provider Locator, is based on healthcare provider responses. Inclusion in the Locator does not imply a referral, recommendation, or endorsement by Alkermes. Alkermes has not independently verified the qualifications of any healthcare provider included in the Locator. We recommend that you research the credentials, qualifications, and experience of each provider before confirming an appointment. Alkermes shall not be liable to you or to anyone for any decision made or action taken in reliance on this information.





IMPORTANT SAFETY INFORMATION FOR VIVITROL® (naltrexone for extended-release injectable suspension)

INDICATIONS

VIVITROL is indicated for:

- Treatment of alcohol dependence in patients who are able to abstain from alcohol in an outpatient setting. Patients should not be actively drinking at the time of initial VIVITROL administration.
- Prevention of relapse to opioid dependence, following opioid detoxification.
- VIVITROL should be part of a comprehensive management program that includes psychosocial support.

CONTRAINDICATIONS

VIVITROL is contraindicated in patients:

- Receiving opioid analgesics
- With current physiologic opioid dependence
- In acute opioid withdrawal
- Who have failed the naloxone challenge test or have a positive urine screen for opioids
- Who have exhibited hypersensitivity to naltrexone, polylactide-coglycolide (PLG), carboxymethylcellulose, or any other components of the diluent

WARNINGS AND PRECAUTIONS

Vulnerability to Opioid Overdose: Because VIVITROL blocks the effects of exogenous opioids for approximately 28 days after administration, patients are likely to have a reduced tolerance to opioids after opioid detoxification. As the blockade dissipates, use of previously tolerated doses of opioids could result in potentially life-threatening opioid intoxication (respiratory compromise or arrest, circulatory collapse, etc). Cases of opioid overdose with fatal outcomes have been reported in patients who used opioids at the end of a dosing interval, after missing a scheduled dose, or after discontinuing treatment. Patients and caregivers should be told of this increased sensitivity to opioids and the risk of overdose.

Any attempt by a patient to overcome the VIVITROL blockade by taking opioids may lead to fatal overdose. <u>Patients should be told of the serious consequences of trying to overcome the opioid blockade</u>.

Injection Site Reactions: VIVITROL injections may be followed by pain, tenderness, induration, swelling, erythema, bruising, or pruritus; however, in some cases injection site reactions may be very severe. Injection site reactions not improving may require prompt medical attention, including, in some cases, surgical intervention. Inadvertent subcutaneous/adipose layer injection of VIVITROL may increase the likelihood of severe injection site reactions. Select proper needle size for patient body habitus, and use only the needles provided in the carton. Patients should be informed that any concerning injection site reactions should be brought to the attention of their healthcare provider.

Precipitation of Opioid Withdrawal: Withdrawal precipitated by administration of VIVITROL may be severe. Some cases of withdrawal symptoms have been severe enough to require hospitalization and management in the ICU. To prevent precipitated withdrawal, patients, including those being treated for alcohol dependence:

- Should be opioid-free (including tramadol) for a minimum of 7-10 days before starting VIVITROL.
- Patients transitioning from buprenorphine or methadone may be vulnerable to precipitated withdrawal for as long as two weeks.

Patients should be made aware of the risk associated with precipitated withdrawal and be encouraged to give an accurate account of last opioid use.

Hepatotoxicity: Cases of hepatitis and clinically significant liver dysfunction have been observed in association with VIVITROL. Warn patients of the risk of hepatic injury; advise them to seek help if experiencing symptoms of acute hepatitis. Discontinue use of VIVITROL in patients who exhibit acute hepatitis symptoms.

Depression and Suicidality: Alcohol- and opioid-dependent patients taking VIVITROL should be monitored for depression or suicidal thoughts. Alert families and caregivers to monitor and report the emergence of symptoms of depression or suicidality.

When Reversal of VIVITROL Blockade Is Required for Pain Management: For VIVITROL patients in emergency situations, suggestions for pain management include regional analgesia or use of non-opioid analgesics. If opioid therapy is required to reverse the VIVITROL blockade, patients should be closely monitored by trained personnel in a setting staffed and equipped for CPR.

Eosinophilic Pneumonia: Cases of eosinophilic pneumonia requiring hospitalization have been reported. Warn patients of the risk of eosinophilic pneumonia and to seek medical attention if they develop symptoms of pneumonia.

Hypersensitivity Reactions: Patients should be warned of the risk of hypersensitivity reactions, including anaphylaxis.

Intramuscular Injections: As with any IM injection, VIVITROL should be administered with caution to patients with thrombocytopenia or any coagulation disorder.

Alcohol Withdrawal: Use of VIVITROL does not eliminate nor diminish alcohol withdrawal symptoms.

ADVERSE REACTIONS

Serious adverse reactions that may be associated with VIVITROL therapy in clinical use include severe injection site reactions, eosinophilic pneumonia, serious allergic reactions, unintended precipitation of opioid withdrawal, accidental opioid overdose, and depression and suicidality. The adverse events seen most frequently in association with VIVITROL therapy for alcohol dependence include nausea, vomiting, injection site reactions (including induration, pruritus, nodules, and swelling), muscle cramps, dizziness or syncope, somnolence or sedation, anorexia, decreased appetite or other appetite disorders. The adverse events seen most frequently in association with VIVITROL in opioid-dependent patients also include hepatic enzyme abnormalities, injection site pain, nasopharyngitis, insomnia, and toothache.

You are encouraged to report side effects to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

PLEASE SEE <u>PRESCRIBING INFORMATION AND MEDICATION GUIDE</u>, OR VISIT <u>VIVITROL.COM</u>.

PLEASE REVIEW MEDICATION GUIDE WITH PATIENTS.



ALKERMES and VIVITROL are registered trademarks of Alkermes, Inc. TouchpointsSM is a service mark of Alkermes, Inc. All other marks used herein are the property of their respective owners. ©2013–2016 Alkermes, Inc. All rights reserved. VIV-002466

vivitrol.com PAGE 4